Exhibit N

(Doc. No. 37)

(b)(3) NatSecAct	
(b)(3) CIAAct MEMORANDUM FOR THE RECORD FROM: (b)(6)	
DATE: 27 August 2004	
RE: Meeting with Department of Justice Attorneys on 13 August 2004 Regarding Specific Interrogation Techniques, Including the Water Board.	
Attendees:	
Department of Justice:	
Dan Levin (b)(6)	
Steven Bradbury (b)(6)	
Central Intelligence Agency: CTC/LGL (b)(3) CIAAct (b)(6) CTC/ (b)(3) CIAAct OMS (b)(6) OMS OMS OMS	
(b)(3) CIAAct (b)(5) (b)(6)	
The full meeting commenced at 3:15 p.m. with all parties present. At this meeting, the DoJ attorneys requested a discussion of three of the techniques: sleep deprivation, water dousing, and the water board.	10.11

(b)(3) CIAAct
(b)(3) NatSecAct
(b)(3) NatSecAct

(b)(3) NatSecAct

Case 1:15-cv-09317-AKH Document 66-14 Filed 01/06/17 Page 3 of 5

Approved for Release: 2016/06/10 C06541533

	(b)(3)		•	
Sleep Deprivation	n:			
	(b)(1)		:	
	(b)(3) CIAAct			
	(b)(3) NatSecAct (b)(5)			
	(b)(6)			
	(12)(12)			
			,	
monitor the deta	and	will adjust		
monitor the deta shackles or meth- to prevent edema	inee (b)(5) and od of applying the techn , as well as any chaffin	em, since we will adjust ique as necessar	ry ness	
monitor the deta	inee (b)(5) and od of applying the techn, as well as any chaffin	em, since we will adjust ique as necessar	ry ness	
monitor the deta shackles or meth- to prevent edema	inee (b)(5) and od of applying the techn , as well as any chaffin	em, since we will adjust ique as necessar	ry less	
monitor the deta shackles or meth to prevent edema from the shackles	inee (b)(5) and od of applying the techn, as well as any chaffin	em, since we will adjust ique as necessar	ry ness	
monitor the deta shackles or meth- to prevent edema	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct	em, since we will adjust ique as necessar	cy less	
monitor the deta shackles or meth to prevent edema from the shackles	inee (b)(5) and od of applying the techn , as well as any chaffin (b)(5) (b)(5) (b)(5)	em, since we will adjust ique as necessar	ry ness	
monitor the deta shackles or meth to prevent edema from the shackles	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct	em, since we will adjust ique as necessar	ry	U
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin (b)(5) (b)(3) CIAAct (b)(5) (b)(6)	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(5) (b)(6) al temperature; CIA make	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin (b)(5) (b)(3) CIAAct (b)(5) (b)(6)	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(5) (b)(6) al temperature; CIA make	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct (b)(5) (b)(6) al temperature; CIA make before applying it.	em, since we will adjust ique as necessar g or over-tight The	ness	U
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(5) (b)(6) al temperature; CIA make	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct (b)(5) (b)(6) al temperature; CIA make before applying it.	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct (b)(5) (b)(6) al temperature; CIA make before applying it.	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct (b)(5) (b)(6) al temperature; CIA make before applying it. (b)(5)	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct (b)(5) (b)(6) al temperature; CIA make before applying it. (b)(5)	em, since we will adjust ique as necessar g or over-tight The	ness	
monitor the deta shackles or meth to prevent edema from the shackles Water Dousing:	inee (b)(5) and od of applying the techn , as well as any chaffin s. (b)(5) (b)(3) CIAAct (b)(5) (b)(6) al temperature; CIA make before applying it. (b)(5)	em, since we will adjust ique as necessar g or over-tight The	ness	

Case 1:15-cv-09317-AKH Document 66-14 Filed 01/06/17 Page 4 of 5 Approved for Release: 2016/06/10 C06541533

	<u>TOP-SECRET</u> / (b)(1) /20290818 (b)(3) NatSecAct_	·
The state of the s	(b)(5)	
· . ·		
(b)(3) CIAA	Water Board:	
(b)(5) (b)(6)	DoJ asked what the current limitations/guidance were on use of the water board. answered that each application could not last more than 40 seconds (and	(b)(3) CIAAct
·	usually only lasted about 20 seconds)	
	(b)(3) CIAAct (b)(5) (b)(6)	
·		
and the second s	(b)(1) (b)(3) N atSecAct]
	TOP SECRET/ /20290818	

Case 1:15-cv-09317-AKH Document 66-14 Filed 01/06/17 Page 5 of 5

Approved for Release: 2016/06/10 C06541533

• ·	
(b)(5)	

(b)(1) (b)(3) NatSecAct -TOP SECRET/ /20290818